

RoCryl Glashärter

Technical Information

- Characteristics:** Reactant based on polyisocyanate. The cross linking of **RoCryl Color ringfest** with **RoCryl Glashärter** enables the adhesion on glass.
A perfect result can only be achieved by carrying out the following instructions.
- Area of application:** Hardener for **RoCryl Color ringfest**.
- Mixing ratio:** 10 units lacquer : 1 unit hardener
- Cleaning of tools:** **Waschlöser Nr. 52** and **PUG Pinsel- u. Gerätereiniger**.
- Storage:** At least 1 year in unopened original container. Frequent opening and partial withdrawal may cause a rise of viscosity.
- Special remarks:** The hardener is moisture sensitive and a reaction with air humidity renders the hardener unusable. Therefore close the can tightly immediately after every withdrawal.
- Please consider:** The product and the recommendations in this technical data sheet correspond to today's state of the art. Our oral and written application recommendations, that are based on years of experience and provided to the best of knowledge, are non-committal and do not establish a contractual relationship and secondary obligation of the sales contract. They do not release the user from his obligation to verify on his own responsibility the existing substrate and the suitability of our products for the intended purpose. In case of doubt, suitability and spreading rate are to be tested by creating a sample. If our products are combined or inter-mixed with third-party products we cannot guarantee a perfect surface finish.
Our general terms and conditions apply.

This technical data sheet replaces all previous versions.

Edited 09/17